




# **Tawa Centre**

3017 66th Street, Edmonton, Alberta



# Leasing Inquiries



### **Richie Lipton** Leasing Manager

C +1780 293 9348 E richie.lipton@nwhreit.com W nwhproperties.com

# **Location Highlights**



### **Major Intersection**

66th Street and 31st Avenue



#### **Nearest Hospital**

<1 km Grey Nuns Community Hospital



#### **Public Transit Access**

Mill Woods LRT Station





# **Tawa Centre**

3017 66th Street, Edmonton, Alberta









## **Property Description**

Tawa Centre is a two-storey, 95,226 square foot mixed-use development with a primary focus on healthcare tenancies, conveniently located adjacent to the Grey Nuns Community Hospital. The building's first floor retail configuration provides prime street-level visibility and separate suite entrances, ideally suited to service-oriented healthcare tenants. The second floor's multi-tenant layout is ideal for medical/clinical or office users who require proximity to the hospital. Tawa Centre is occupied by a variety of healthcare and retail services including medical consultation clinics, diagnostic imaging, a lab, and a pharmacy. It is easily accessed by car or transit.

## Leasing Inquiries



# **Richie Lipton**Leasing Manager

C +1 780 293 9348 E richie.lipton@nwhreit.com W nwhproperties.com

### **Property Highlights**

**Building Size** 95,226 sq.ft.

Floors 2

Asking Rent Market

Additional Rent (2024 est.)

Operating Costs \$13.39

Realty Taxes \$6.03

In Suite Cleaning Costs \$4.77

**Total** \$24.19 psf

Bike Storage Underground

Parking Surface and Underground

Electric Vehicle Chargers No

Wired Score Silver



Number of Parkade Levels

### **Tawa Centre**

3017 66th Street NW, Edmonton, Alberta

General Information	
Number of Floors	2
Year Built	1985
Year(s) of Expansion(s)	N/A
Building Modernizations/Upgrades	2016: cooling tower upgrade 2019: roof replacement
Building Size (sq. ft.)	95,226
Floor Plate (sq. ft.)	47,613
Additional Rent Total (p.s.f.)	\$24.19
Realty Taxes (p.s.f.)	\$6.03
Operating Costs (p.s.f.)	\$13.39
In-Suite Cleaning Costs (p.s.f.)	\$4.77
Building Access Points	3 (NW, east, via parkade)
Heating, Ventilation & Air Conditioning (HVAC)	Natural gas-fired boilers, MUA units, cooling tower, chiller
HVAC Hours	Tenant-controlled
After-Hours HVAC Operation Fee	Starting at \$25.00/hour
Building Security Information	Paladin Security. 24/7 CCTV, mobile patrols, card-key access
Total Number of Public Washrooms	4 (multi-stall)
Washrooms per Floor	2 (one male, one female)
Anchor Tenants	MIC Medical Imaging, Pharmasave, Southside Women's Health Clinic, Dynalife Medical Labs, Montessori Daycare
Fire & Life Safety Information	Mircom FX-2000 fire panel; full building sprinkler system. AED in main floor lobby.
Building Automation System	Siemens/ESC
General Information	277/4801V, 1600A, 3-phase
General Information  Building Emergency Power	Battery packs for emergency lighting
General Information  Building Emergency Power  Tenant Emergency Power	Battery packs for emergency lighting No
General Information  Building Emergency Power  Tenant Emergency Power  Base Building Lights	Battery packs for emergency lighting  No  LED, T8, T12
General Information Building Emergency Power Tenant Emergency Power Base Building Lights Lighting Control	Battery packs for emergency lighting  No  LED, T8, T12  Timer control
General Information Building Emergency Power Tenant Emergency Power Base Building Lights Lighting Control Electrical Rooms	Battery packs for emergency lighting  No  LED, T8, T12  Timer control  3 (one per floor)
General Information  Building Emergency Power  Tenant Emergency Power  Base Building Lights  Lighting Control	Battery packs for emergency lighting  No  LED, T8, T12  Timer control
General Information Building Emergency Power Tenant Emergency Power Base Building Lights Lighting Control Electrical Rooms Telecommunications Rooms	Battery packs for emergency lighting  No  LED, T8, T12  Timer control  3 (one per floor)
General Information  Building Emergency Power  Tenant Emergency Power  Base Building Lights  Lighting Control  Electrical Rooms  Telecommunications Rooms	Battery packs for emergency lighting  No  LED, T8, T12  Timer control  3 (one per floor)
General Information Building Emergency Power Tenant Emergency Power Base Building Lights Lighting Control Electrical Rooms Telecommunications Rooms	Battery packs for emergency lighting  No  LED, T8, T12  Timer control  3 (one per floor)  3 (one per floor)
General Information  Building Emergency Power  Tenant Emergency Power  Base Building Lights  Lighting Control  Electrical Rooms  Telecommunications Rooms  Elevators  Number of Passenger Elevators  Freight Elevator	Battery packs for emergency lighting  No  LED, T8, T12  Timer control  3 (one per floor)  3 (one per floor)
General Information  Building Emergency Power  Tenant Emergency Power  Base Building Lights  Lighting Control  Electrical Rooms  Telecommunications Rooms  Elevators  Number of Passenger Elevators  Freight Elevator  Elevator Modernization Year(s)	Battery packs for emergency lighting  No  LED, T8, T12  Timer control  3 (one per floor)  3 (one per floor)
General Information  Building Emergency Power  Tenant Emergency Power  Base Building Lights  Lighting Control  Electrical Rooms  Telecommunications Rooms  Elevators  Number of Passenger Elevators  Freight Elevator  Elevator Modernization Year(s)  Elevator Type	Battery packs for emergency lighting  No  LED, T8, T12  Timer control  3 (one per floor)  3 (one per floor)  2  0  N/A  Hydraulic
General Information Building Emergency Power Tenant Emergency Power Base Building Lights Lighting Control Electrical Rooms Telecommunications Rooms  Elevators  Number of Passenger Elevators Freight Elevator Elevator Modernization Year(s) Elevator Type Elevator Speed	Battery packs for emergency lighting  No  LED, T8, T12  Timer control  3 (one per floor)  3 (one per floor)  2  0  N/A  Hydraulic  N/A
General Information Building Emergency Power Tenant Emergency Power Base Building Lights Lighting Control Electrical Rooms Telecommunications Rooms  Elevators  Number of Passenger Elevators Freight Elevator Elevator Modernization Year(s) Elevator Type	Battery packs for emergency lighting  No  LED, T8, T12  Timer control  3 (one per floor)  3 (one per floor)  2  0  N/A  Hydraulic
General Information Building Emergency Power Tenant Emergency Power Base Building Lights Lighting Control Electrical Rooms Telecommunications Rooms  Elevators  Number of Passenger Elevators Freight Elevator Elevator Modernization Year(s) Elevator Type Elevator Speed Passenger Cab Capacity	Battery packs for emergency lighting  No  LED, T8, T12  Timer control  3 (one per floor)  3 (one per floor)  2  0  N/A  Hydraulic  N/A
General Information Building Emergency Power Tenant Emergency Power Base Building Lights Lighting Control Electrical Rooms Telecommunications Rooms  Elevators  Number of Passenger Elevators Freight Elevator Elevator Modernization Year(s) Elevator Type Elevator Speed Passenger Cab Capacity	Battery packs for emergency lighting  No  LED, T8, T12  Timer control  3 (one per floor)  3 (one per floor)  2  0  N/A  Hydraulic  N/A
General Information  Building Emergency Power  Tenant Emergency Power  Base Building Lights  Lighting Control  Electrical Rooms  Telecommunications Rooms  Elevators  Number of Passenger Elevators  Freight Elevator  Elevator Modernization Year(s)  Elevator Type  Elevator Speed  Passenger Cab Capacity	Battery packs for emergency lighting  No  LED, T8, T12  Timer control  3 (one per floor)  3 (one per floor)  2  0  N/A  Hydraulic  N/A  1,133 kg
General Information Building Emergency Power Tenant Emergency Power Base Building Lights Lighting Control Electrical Rooms Telecommunications Rooms  Elevators  Number of Passenger Elevators Freight Elevator Elevator Modernization Year(s) Elevator Type Elevator Speed Passenger Cab Capacity  Parking Parking Ratio Total Number of Parking Stalls	Battery packs for emergency lighting  No  LED, T8, T12  Timer control  3 (one per floor)  3 (one per floor)  2  0  N/A  Hydraulic  N/A  1,133 kg
General Information Building Emergency Power Tenant Emergency Power Base Building Lights Lighting Control Electrical Rooms Telecommunications Rooms  Elevators  Number of Passenger Elevators Freight Elevator Elevator Modernization Year(s) Elevator Type Elevator Speed Passenger Cab Capacity  Parking Parking Ratio Total Number of Parking Stalls Number of Accessible Stalls	Battery packs for emergency lighting  No  LED, T8, T12  Timer control  3 (one per floor)  3 (one per floor)  2  0  N/A  Hydraulic  N/A  1,133 kg  2.86/1,000 sf  272  5
General Information Building Emergency Power Tenant Emergency Power Base Building Lights Lighting Control Electrical Rooms Telecommunications Rooms  Elevators  Number of Passenger Elevators Freight Elevator Elevator Modernization Year(s) Elevator Type Elevator Speed Passenger Cab Capacity  Parking Parking Ratio Total Number of Parking Stalls Number of Accessible Stalls Parking Lot Type	Battery packs for emergency lighting  No  LED, T8, T12  Timer control  3 (one per floor)  3 (one per floor)  2  0  N/A  Hydraulic  N/A  1,133 kg  2.86/1,000 sf  272  5  Underground & surface
General Information Building Emergency Power Tenant Emergency Power Base Building Lights Lighting Control Electrical Rooms Telecommunications Rooms  Elevators  Number of Passenger Elevators Freight Elevator Elevator Modernization Year(s) Elevator Type Elevator Speed Passenger Cab Capacity  Parking Parking Ratio Total Number of Parking Stalls Number of Accessible Stalls Parking Lot Type Parking System	Battery packs for emergency lighting  No  LED, T8, T12  Timer control  3 (one per floor)  2 0  N/A  Hydraulic  N/A  1,133 kg  2.86/1,000 sf  272  5  Underground & surface  Pay-by-plate
Building Emergency Power  Tenant Emergency Power  Base Building Lights  Lighting Control  Electrical Rooms  Telecommunications Rooms  Elevators  Number of Passenger Elevators  Freight Elevator  Elevator Modernization Year(s)  Elevator Type  Elevator Speed  Passenger Cab Capacity  Parking  Parking Ratio  Total Number of Parking Stalls  Number of Accessible Stalls  Parking Lot Type	Battery packs for emergency lighting  No  LED, T8, T12  Timer control  3 (one per floor)  3 (one per floor)  2  0  N/A  Hydraulic  N/A  1,133 kg  2.86/1,000 sf  272  5  Underground & surface



### **Tawa Centre**

3017 66th Street NW, Edmonton, Alberta

Fitness Centre	No
Bicycle Storage	Indoor
Shipping & Receiving	N/A
Common Area Meeting Room	No
Meeting Room Cost	N/A
Shared Social Space	No
Food Service / Café	No
Public Transit Information	Mill Woods LRT Station; Bus Route 523
NWHP Online Service Request System	Yes
NWHP On-site Office	No
Energy Savings Initiatives	Timer-controlled lights, photocells, LED lighting
Energy Savings Initiatives	Timer-controlled lights, photocells, LED lighting
Environmental & Sustainability Initiatives	Lighting control
Conservation & Carbon Footprint Initiatives	Lighting control Bicycle storage provided
· · · · · · · · · · · · · · · · · · ·	5 0
Conservation & Carbon Footprint Initiatives	Bicycle storage provided  Single-stream recycling and composting
Conservation & Carbon Footprint Initiatives  Recycling Programs	Bicycle storage provided  Single-stream recycling and composting Electronic equipment recycling
Conservation & Carbon Footprint Initiatives  Recycling Programs  Electric Vehicle Charging Stations	Bicycle storage provided  Single-stream recycling and composting Electronic equipment recycling
Conservation & Carbon Footprint Initiatives  Recycling Programs  Electric Vehicle Charging Stations  Information	Bicycle storage provided Single-stream recycling and composting Electronic equipment recycling No
Conservation & Carbon Footprint Initiatives  Recycling Programs  Electric Vehicle Charging Stations  I Information  Hospital Proximity	Bicycle storage provided  Single-stream recycling and composting Electronic equipment recycling  No  < 1 km